




Table of contents

| Choosing Your Floor |] |
|--------------------------|----|
| Series 100 WRT | 2 |
| Series 1000 HPS | 8 |
| Series 2000 HPS | 12 |
| Why Cork | 16 |
| Warranty and maintenance | 17 |
| Specifications page | 18 |



CHOOSING YOUR FLOOR



WicCork

A palette of ideas inspired by nature, combining textures and surprising colors. The originality of each pattern gives any surface a personal and distinctive touch.

Whether you choose a floating floor or a glue-down, your lifestyle will determine which Wicanders floor is right for you.

Xtreme WRT:

Ceramic is, after natural diamonds, the hardest known substance in the world. Our flooring coated with Xtreme WRT finish with ceramic micro-bead technology, is a perfect choice if you are looking for a matte, unique and durable finish with low maintenance.

We want you to feel assured that you are making a good, long-term investment when you choose Xtreme WRT flooring from Wicanders. We therefore have a 15-year guarantee on all of our Xtreme WRT floors installed in residential areas and a 5-year guarantee on all of our Xtreme WRT floors installed in light commercial areas.

If kids and pets are a part of your home, our floors with WRT finish are the right choice for you. Even with its hard and resistant features, Xtreme WRT gives the floor soft and natural qualities and not the usual slippery and cold aspect provided by ordinary finishes.

HPS - High Performance Surface:

The high traffic on commercial floors puts much demand on the floor and the finish. Wicanders commercial quality floors are produced with hard wearing surface (PVC) lying between the veneer and the HPS topcoat, which make it extremely wear resistant. HPS finish is based on nano beads technology.

Extremely tiny beads are embedded in the top layer giving the whole surface improved properties such as scratch, slip, scuff and stain resistance, without compromising the natural appearance, elasticity and beauty of your cork floor. If you are in search of flooring for high traffic areas with an extremely durable, low-sheen finish, Wicanders Cork Flooring with HPS is the choice for you. With a 25-year residential warranty and a 15-year commercial warranty, we are confident you will love the feel and look of your new cork floor.

Glue-down versus Floating:

Floating:

Wicanders Cork Oak floating floor planks are engineered with the patented CorkLoc® system on all four sides. Each edge is comprised of durable compressed cork fiberboard and Cork Protect®, a natural paraffin-based all-around edge sealing system. This tightly pressed seal seamlessly vacuum locks against any and all moisture and debris, setting Wicanders CorkLoc® system apart from other floating floors

Glue-down:

If you like the idea and visual effect of square tiles, Wicanders has the flooring solution for you.



SERIES





Xtreme WRT finish is the logical and consequent development of a flooring solution that meets in all aspects the requirements of even the most demanding customers. Xtreme WRT represents the strongest protection of the natural features of cork flooring.



FEATURES:

Xtreme WRT Finish:

A ceramic micro-bead finish 4x more wear resistant than other finishes in its class

CorkLoc Floating Floor System

CorkProtect:

All around edge sealing system used as a moisture barrier

Installation system:

Floating

Dimensions:


 $35-5/8 \times 11-10/16 \times 7/16$

Warranty:

15 Year Residential, 5 Year Light Commercial

Suitable for:

Kitchen, Family Room, Bedroom, Basement, Dining Room, Playroom, Hallway, Office



ORIGINALS COLLECTION



There is nothing more original than nature. Surprising creations to develop spaces with harmony, elegance and simplicity.



Natural O801007



Harmony O821005



Rhapsody O825005



Symphony O830003



Accent O841002



Dawn 0849003



Cork is a natural material. Variation in color, shade and texture is a natural and attractive characteristic.

PERSONALITY COLLECTION



Each personality has its own shade. Available in a wide range of colors, this collection offers soft and subtle textures.







tea P810002



spice P808002



caramel

P833002



chestnut

P832002



IDENTITY COLLECTION



The pattern is what characterizes us. In a range of different colors, the natural identity of cork stays in harmony with you.







timide I802002

silver I803002

ea I810002



NUANCES COLLECTION





Wicanders improves the best that nature has to offer. Natural materials combined with surprising textures and colors, together with a design that meets even the most avant-garde requirements.







canelle N803001



mele N813001



castagna N814001



Cork is a natural material. Variation in color, shade and texture is a natural and attractive characteristic

SERIES





If you are looking for a CORKLOC flooring solution that meets the highest durability standards, Series 1000 is the perfect choice. Supplied with a hard wearing surface layer for durability and resilience, this series is ideal for high traffic residential areas, commercial and public spaces.



FEATURES:

HPS Finish:

A highly durable anti-scratch finish for high traffic areas

CorkLoc Floating Floor System

CorkProtect:

All around edge sealing system used as a moisture barrier

Installation system:

Floating

Dimensions:


 $35-5/8 \times 11-10/16 \times 15/32$

Warranty:

25 Year Residential, 15 Year Commercial

Suitable for:

Kitchen, Family Room, Bedroom, Basement, Dining Room, Playrooms, Office



ORIGINALS COLLECTION



The warm and classic look only nature can create, adding an alluring decor in any room.







Rhapsody O125001



Accent O141001



IDENTITY COLLECTION



Offered in a variety of patterns, the rich natural texture of Wicanders Cork Oak adds unique depth and intrigue to any area.



timide I102003



spice I108003



ea Il 10002



metallic sky I1 16002



chestnut I132003



ruby I130002




ecrets Il 19002



SERIES





Series 2000 offers you the glue-down solution for highest durability requirements. Also supplied with a hard wearing surface layer, it fulfills all your expectations for high traffic residential areas, commercial and public spaces.



FEATURES:

HPS Finish:

A highly durable anti-scratch finish for high traffic areas

Installation system:

Glue down

Dimensions:


12x12x1/8

Warranty:

25 Year Residential, 15 Year Commercial

Suitable for:

Kitchen, Family Room, Bedroom, Dining Room, Playroom, Basement, office, lobby



ORIGINALS COLLECTION



Earthly tones create unique character and enhance the warmth nature brings in.



Natural O201002



Harmony O221002



Rhapsody O225001



Accent O241001



IDENTITY COLLECTION



Bold colors and rich textures are our specialty. Whoever thought fashion and functionality could exist side by side?







secrets I219005



nightshade I221006



ruby I230002



WHY CORK



ENVIRONMENTALLY FRIENDLY

Cork keeps trees alive! WICANDERS floors are made with natural products and in the case of cork, an outstandingly ecological material, thus providing an environmentally friendly flooring solution. Mindful of today's need for conservation, WICANDERS floors are a true environmental alternative.



FAST & EASY INSTALLATION

Whether you choose the floating or glue-down option, WICANDERS floors are quicker and easier to install than ever before. With the improved CORKLOC-design and increased sizes of the glue-down range, a WICANDERS floor saves time and reduces installation expense.

SILENCE

The cork inner structure in all WICANDERS floors is guaranteed to cut noise. The cork reduces sound transmission between and within rooms, creating a quieter, and therefore peaceful, environment in your home.



COMFORT

The unique characteristics of cork also ensure that a WICANDERS floor is more comfortable to walk and stand on. Cork's shockabsorbing properties relieve strain on your feet, joints, legs and back.





WARMTH

The unique qualities of cork offer benefits other floors can't match. The natural thermal insulation properties make WICANDERS floors very pleasant to the touch, even with bare feet as they provide an optimal floor temperature all year round.



HEALTH

WICANDERS floors come with surface finishes that put a stop to entrapped dirt, germs or fungus, thus actively contributing to a healthy and hygienic environment.



The specialised surface finishes of WICANDERS floors make them easier for you to clean and maintain. A vacuum cleaner and a mop are all that is required to keep WICANDERS floors looking as good as new.



DURABILITY

With their unique cork structure and tough resilient surface finishes, WICANDERS floors are as durable as you'll ever need them to be. A WICANDERS floor withstands years of wear and still looks as good as the day it was first laid.





WARRANTY

EXTENDED STRUCTURAL AND WEAR WARRANTY

We warrant, that our flooring products, when supplied as new and through approved outlets, shall be free of defects in lamination, assembly, milling, dimension and grading, and that the Surface Wear Layer will not wear through within the periods, after invoice date, indicated in the table above. The term "wear through" is defined as the 100% reduction of the Surface Wear Layer over an area comprising 5% of the total Surface Flooring installed.

EXTENDED WARRANTY COVERAGE

If in the unlikely event our products do not perform according to the applicable warranty, we will, at our option, repair, refinish or replace such portion, with the same product or another product of equal value (at our selection), or refund the price paid - if replacement or repair cannot be made in a timely manner.

During the first three (3) years of this warranty we assume liability of removal of defective products and installation of replacement products, at no cost to you. After this period (when applicable), we shall only provide the flooring products for replacement, free of charge.

MAINTENANCE

REGULAR MAINTENANCE

HARD WEARING SURFACE (Series 1000, 2000, 3000)

- Vacuum or sweep the floor to remove any loose grit and debris, using a soft, clean brush
- Mop over the entire area, keeping the mop moist rather than wet
- Allow the floor to dry completely

WRT (Series 100, 200, 300)

- •Sweep or vacuum regularly.
- Mop your floors with a high quality sponge mop. Use only clean water, nothing else is needed. Periodically, use Wicanders Soft Cleaner or Xtreme Natural Cleaner following instructions on the label. Wring out the sponge mop vigorously. Mop in the direction of the grain. If you see water on your floor, your sponge is probably too wet.
- •Do not use any oils or waxes on dust mop
- •Use a sponge mop dampened slightly with water or Wicanders recommended cleaner (Wicanders Soft Cleaner or Xtreme Natural Cleaner), on a regular basis, to remove any kind of soil and grit. The frequency of cleaning depends on the amount of traffic (daily weekly)
- Never use anything other than water or Wicanders recommend cleaner on your Wicanders floor coated with Xtreme WRT finish.
- •You may want to press the mop into a dry towel to remove excess moisture. For heavily soiled floors, use Wicanders recommended cleaners only. (Wicanders Soft Cleaner or Xtreme Natural Cleaner)

TIPS TO KEEPING YOUR FLOOR LOOKING GREAT

- •Use doormats at all entrances to remove dirt and grit carried on footwear
- •Clean up spills and spots immediately
- •Use felt pads on chair and furniture legs and replace them as they wear out
- Furniture castors should have a width proportional to the supported weight
- •Use protective office mats under rolling chairs
- If works will take place in the room where the floor is installed, protect with craft paper, plywood or hardboard
- Cork, as a natural material may tend to fade when exposed to sunlight. Use blinds, curtains or other sun screening system to minimize this effect
- Avoid excessive moisture on the floor.
- Ideal and healthy room conditions are 35 65% relative humidity at $68^{\circ}F$ ($20^{\circ}C$).

ON ALL SURFACES, NEVER:

- •Use latex or rubber backed mats as they can permanently stain the floor.
- •Use cleaning products with abrasive ingredients or solvent-based ingredients, e.g. acetone
- •Use wire brushes
- Drag furniture across the floor
- •Use a wet mop or pour water directly on the floor
- •Use wax, polish, or abrasive cleaners, steel wool or scouring powder

Specifications

| | | Laying method | Floating | | Glue down |
|------------------------------|--------------------|---|--------------------------------------|---|---|
| | Finishing | | Xtreme WRT | High Performance Surface | High Performance Surface |
| Test | Standard | Unit | Series 100 | Series 1000 | Series 2000 |
| Level of use | | | | | |
| Residential | EN685 | class | 23 | 23 | 23 |
| Commercial | EN685 | class | 31 | 33 | 33 |
| General properties | | | | | |
| Dimensions | EN 427/EN 428 | mm inches | 905x295x10.5 35-5/8x11-10/16x7/16 | 905x295x12 35-5/8x11-10/16x15/32 | 300x300x3.2 12x12x1/8 |
| Wear layer thickness | EN 429 | mm | | 0.5 | 0.5 |
| Safety properties | | | | | |
| Critical radiant flux | ASTM E 648 | Watts/Cm ² | .23 | .74 | .70 |
| Specific optical density | ASTM E 662-97 | Density | Flaming: 199/Non flaming: 177 | Flaming: 301/Non flaming: 279 | Flaming: 234/Non flaming: 294 |
| Static coefficient friction | ASTM C1028-89 | Coeff. | Dry: .65; Wet: .69 | Dry: .69; Wet: .94 | Dry: .76; Wet: .92 |
| Additional properties | | | | | |
| Impact sound reduction | ISO 140-8 | dB | 16 | 18 | 9 |
| Step sound | NF S 31-074 | dB | 78 | 78 | |
| STC sound transmission class | ASTM E413-87 | dB | 54 | 54 | 53 |
| IIC Impact insulation class | ASTM E989-89 | dB | 58 | 57 | 50 |
| Surface noise radiation | ANSI S12.32-1990 | dBA | 90.5 | 92.1 | 89.6 |
| Thermal resistance | ASTM C-518 | (R-value) | .83 | 0.50 | 0.31 |
| Wear resistance | ASTM D38842 | Nr. of Cycles/Wheigt loss | | 15000 | Cycles:13000/Weight loss 1.9 gr. |
| Scratch resistance | EN 438 | N | 1.60 | 4 | 4 |
| Residual indentation | ASTM F1914-98 | % loss | 10.6 | 10.6 | 22.8 |
| Impact resistance | EN 438 | N mm (high falling) | Small ball: 14 Big ball: 1300 | 4 | 4 |
| Static load limit | ASTM F970-87 | Inch (%) | .002 (0.4%) | .006 Inch (1.6%) | .000 Inch (0.0%) |
| Effect of stains | EN 423 EN 12720 | effect effect | | (a) (b) | (a) (b) |
| Effect of stains (d) | EN 438, part 2 | Grade (1=surface destruction 5=No visible changes) | 5 (e) | 5/5 | 5/5 |
| Chemical resistance | ASTM F925-97 | Sulf. dulling Sulf. attack Color change | | No change (c) No change No change | No change (c) No change No change |

(a) The following products were tested: Olive oil, Butter, Condenced milk, Red wine, Petrol, Acetic acid, Soda ash; all cause grade 5 effects (no visible change) • (b) The following products were tested: Cleaning agent, Cleaning agent, Cleaning agent, Cleaning agent, Cleaning agent, Cleaning solution; all cause grade 5 effects (no visible changes) • (c) 5% Sodium Hydroxide and 5% Phenol have caused a "Slight Change" • (d) The following products were tested: acetone, coffee, NaOH, Hydrogensuperoxyde (H2O2, 3%), Black shoe cream, Citrus acid (solution of 10%) • (e) Acetone causes grade 1 effects

Technical data subject to change





7513 Connelley Drive Suite M - Front Hanover, MD 21076 · USA Tel: 410 553 6062 (6063 / 6064) Fax: 410 553 6123 e-mail: info@amorimus.com